

NPIC/R-1306/64 July 1964

MISSION COVERAGE INDEX

MISSION


25X1D

23 JULY 1964





NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



SECRET

GROUP :
Excluded from outomatic
downgroding and declassification

Approved For Release 2000/05/10: CIA-RDP78B04560A003700010017-0

WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.



Approved For Release 2000/05/10: CIA-RDP78B04560A003700010017-0

NPIC/R-1306/64

PREFACE

THIS MISSION COVERAGE INDEX (MCI) LISTS THE INTELLIGENCE TARGETS IMAGED ON THE

25X1D

NO TARGETS WERE OBSERVED ON MISSION LAOS. 2100. ITEMS ARE ARRANGED IN THREE SECTIONS --

SECTION I PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVIOUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

SECTION II PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE: IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS NAC AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

SECTION III PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTIFIED BUT NOT INTERPRETED.

TARGETS IN EACH OF THE THREE SECTIONS ARE ARRANGED 1) BY COUNTRY, 2) WITHIN THE COUNTRY ACCORDING TO SUBJECT, 3) WITHIN

SECRET

Approved For Release 2000/05/10: CIA-RDP78B04560A003700010017-0

NPIC/R-1306/64

THE SUBJECT BY WAC AREA, AND 4) WITHIN THE WAC AREA BY GEOGRAPHIC COORDINATES IN ASCENDING ORDER. AN EXPLANATION OF COLUMN HEADINGS AND PHOTO REFERENCES USED IN PRESENTING THE INFORMATION IS CONTAINED IN THE APPENDIX. THE MAP BASE USED (WHEN AVAILABLE) FOR THE DERIVATION OF COORDINATES IN THIS MCI IS THE LATEST EDITION OF THE AMS SERIES L509, SCALE 1/250,000 AND L004, 1/50,000.

THE USER OF THIS MCI IS CAUTIONED THAT THE SCAN OF PHOTOGRAPHY WAS ACCOMPLISHED IN A RELATIVELY SHORT TIME AND OFTEN WITHOUT THE AID OF PRECISE ANALYTICAL AND MENSURAL TECHNIQUES COMMONLY EMPLOYED IN DETAILED PHOTOGRAPHIC ANALYSIS. CONSEQUENTLY, ALTHOUGH THE INFORMATION PRESENTED HEREIN IS ESSENTIALLY ACCURATE, ADDITIONAL, DETAILED ANALYSIS MAY SOMEWHAT ALTER PORTIONS OF THE INFORMATION.

SECTION I

AND PREVIOUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION. THIS SECTION PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS

Approved For Release 2000/05/10: CIA-RDP78B04560A003700010017-0

25X1D

Approved For Release 2000/05/10 : CIA-RDP78B04560A003700010017-0

NPIC/R-1306/64

| Target | Coordinates | | WAC | Target Numbers | |
|--|---|----------|------|----------------|-------|
| | | umures . | | BE | NPIC |
| -LAOS- | en and and an and an and an | | | | |
| AIR INSTALLATIONS | e constitue | | | | |
| BAN SOUI AIRFIELD NO APPARENT CHANGE IN FACILITIES SINCE MISSION | 1931N | 10253E | Ø617 | | 478 |
| AIRCRAFT 3 LIAISON-TYPE AND 2 HELICOPTERS. | Parameter (Mary) | | | | |
| 25X1D BAN THANG AREA, LANDING STRIP (1) IMMEDIATELY EAST OF BAN THANG. | 1925N | 1Ø3Ø4E | 9617 | | 427-B |
| 5,500 X 150 FT NE/SW GRADED EARTH LANDING STRIP, FLOODED IN MIDDLE. AIRCRAFT NONE OBSERVED. | | | | \$ - | |
| 25X1D | | | | | |
| BAN NON HON AREA, LANDING STRIP 1.6 NM WEST OF BAN NON HON. 4.200 X 175 FT NE/SW GRADED EARTH AND SOD LANDING STRIP, PROBABLY UNSERVICEABLE. FACILITIES INCLUDE 7 SUPPORT BUILDINGS IN AN AREA SOUTH OF THE STRIP AND 13 SUPPORT BUILDINGS NORTH OF THE STRIP. NO VEHICLES OBSERVED. | 1926N | 1Ø3Ø5E | Ø617 | ** (1) | 427-A |
| AIRCRAFT DNE DERELICT C-47. | | | | | 3 |
| AILITARY INSTALLATIONS | | | | | F |
| NO APPARENT CHANGE IN CLOUD-FREE AREAS SINCE 25X1D | 1932N | 1Ø253E | Ø617 | | 478-B |

SECRET

SECRET Approved For Release 2000/05/10 : CIA-RDP78B04560A003700010017-0

NPIC/R-1306/64

| | Target | Coordinates | WAC | Targ | get Numbers | |
|-------|---|--------------|------|------|-------------|--|
| | | | | BE | NPIC | |
| | BAN KEUTT AREA, DEFENSE POSITIONS AREAS A, C THROUGH N NOT COVERED. 25X1D | 1934N 10259E | Ø617 | | 478-L | |
| 25X1D | AREA B NO APPARENT CHANGE SINCE | | | | | |
| 25X1D | BAN NA BOUA, AAA SITE Ø.4 NM SW OF BAN NA BOUA AT UTM UGØ37533. 6-GUN UNDCCUPIED AAA SITE | 1928N 10307E | Ø617 | | 427-N | |
| | BAN SUON, MILITARY ACTIVITY AREAS A, B AND C NOT OBSERVED. | 1929N 10307E | Ø617 | | 3Ø9-C | |
| 25X1D | AREA D 5 UNOCCUPIED IRREGULARLY-SHAPED TRENCH SYSTEMS ON ADJACENT HILL TOPS. | , | | | · | |
| | BAN PHIEN LUONG AREA, STRONGPOINTS AREAS A, B, AND D NOT COVERED. 25X1D | 193ØN 103Ø5E | Ø617 | | 427-L | |
| 25X1D | AREA C NO APPARENT CHANGE SINCE | | | | | |
| | AREA E UNDCCUPIED SIX-GUN AND 2 UNOCCUPIED 4-GUN AAA SITES. | | | | | |
| 25X1D | 25X1D | | | | | |
| E | BAN NA HANG AREA, STRONGPOINT 25X1D 1.3 NM WEST OF BAN NA HANG AT UTM | 1937N 10307E | Ø617 | | 426-I | |

| | _ | 5 1 | | - " | Target | | t Numbers | |
|-------|--|--------------|------|-----|--------|--|-----------|--|
| | Target | Coordinates | WAC | BE | NPIC | | | |
| 3 | A CIRCULAR TRENCH SYSTEM CONTAINING 3 RAZED BUILDINGS, APPEARS UNDCCUPIED. 25X1D BAN TANG AREA, STRONGPOINTS AREAS REFERENCED FROM BAN TANG. | 1938N 1Ø312E | Ø617 | | 426-G | | | |
| | AREA A (1.3 NM WNW AT UTM UGØ927Ø8) IRREGULARLY-SHAPED STRONGPOINT SECURED BY A SAWTOOTH PERIMETER TRENCH, CONTAINS 3 TENTS AND APPROXIMATELY 5Ø BUILDINGS (25 IN VARIOUS STAGES OF DESTRUCTION/DISREPAIR). DEFENSES INCLUDE NUMEROUS AW POSITIONS. NUMEROUS BOMB CRATERS OBSERVED THROUGHOUT THE STRONGPOINT. | | | | | | | |
| | AREA B (1.8 NM SE AT UTM UG134698) — ABANDONED STRONGPOINT LOCATED ATOP HILL. AREA C (1.1 NM SW AT UTM UGØ977Ø9) — IRREGULARLY-SHAPED STRONGPOINT CONTAINING 6 | | | | | | | |
| 25X1D | HUTS AND NUMEROUS FIRING BAYS. APPEARS ABANDONED. MISCELLANEOUS | | | | | | | |
| | ROUTE 7 SINGLE LANE, SEASONAL, IN FAIR CONDITION. OBSERVED FROM 19-32N 102-51E TO 19-33N 102-56E AND FROM 19-31N 103-05E TO 19-27N 103-09E. | N E | Ø617 | | | | | |
| 25X1D | manded gent in franchist prompted demonstrations | | | | | | | |

SECRET

SECTION II

DETERMINED ARE LISTED UNDER THIS SECTION. NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS MISSION NUMBER, PREFIXED BY THE LETTERS "NAC" AND APPEARING AS THE LAST PARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO AP-

Approved For Release 2000/05/10 : CIA-RDP78B04560A003700010017-0

NPIC/R-1306/64

| Target | | Coordinates WAC | | WAG | Target | Numbers |
|---|----------------|-----------------|--------|------|--------|---------|
| | | | | WAC | BE | NPIC |
| | | | | | | |
| -LAOS- | | | | | | |
| AIR INSTALLATIONS | 25X1D | | | | | 12 |
| BAN KHAI AREA, LANDING STRIP | | 1932N | 1Ø254E | Ø617 | | 478-C |
| BAN SAO LANDING STRIP | 2 | 1927N | 10307E | Ø617 | | 427-D |
| BAN NA KHAI, AIRFIELD | 25X1D | 1934N | 10301E | Ø617 | | 426-C |
| BAN SEN AREA, AIRFIELD | 25X1D | 1937N | 10305E | Ø617 | | 426-A |
| BAN SONG HAC AIRFIELD | 25X1D | 1938N | 10306E | Ø617 | 25X1A | 426 |
| MILITARY INSTALLATIONS | 25X1D 25X1D | | | | | |
| XIENG KHOUANG AIRFIELD AREA, STRONGPOINTS | | 1926N | 1Ø3Ø9E | Ø617 | | 13Ø-T |
| MUDNG MAY, MILITARY CAMP | | 1449N | 1Ø656E | Ø738 | | 101-B |
| 2 | 5X1D | | | | | |

25X1D

25X1D

Approved For Release 2000/05/10 : CIA-RDP78B04560A003700010017-0

NPIC/R-1306/64

Target Numbers

| i arger | Coordinates | WAC | BE NPIC | |
|--|--------------|------|---------|-------|
| | | | 0.0 | NEIC |
| STORAGE | | | | |
| AN SAO, ARMOR STORAGE AND MAINTENANCE AREA | 1927N 10307E | Ø617 | | 427-E |
| AN SONG HAC, ARMOR STOR & MAINT ARFA | 1937N 10306E | Ø617 | | 426-E |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTI-

FIED BUT NOT INTERPRETED .

Approved For Release 2000/05/10 : CIA-RDP78B04560A003700010017-0

NPIC/R-1306/64

| Target Coordinates | | WAC | Target Numbers | | |
|------------------------|-------|--------------|----------------|--------------|-------|
| T. | | 333.311.013 | | BE | NPIC |
| | | | | | |
| -L AOS- | | | | | |
| AIR -INSTALLATIONS | | | | 25X1A | 2 |
| BAN NON HON AIRFIELD | 25X1D | 1926N 103051 | Ø61 7 | in Filmer | 427 |
| XIENG KHOUANG AIRFIELD | | 1927N 103081 | Ø617 | | 13Ø-A |
| | 25X1D | | | | |
| | | | | | |
| | | | | | |
| • | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

NPIC/R-1306/64

APPENDIX

COLUMN HEADINGS

not known, it is titled according to its function. Where a capsule description. appropriate, the city and installation names are followed by name of the installation. the city or town nearest the installation, followed by the City, Installation -- This column contains the name of If the name of the installation is

mate center of the installation. covers a wide area, coordinates are given for the approxicorner of the minute square. When the subject installation Coordinates -- Coordinates are referenced to the SW

item, should be prefixed by the appropriate WAC number, second subcolumn lists the installation number assigned by BE installation number assigned to the installation. The subcolumns. is situated Chart number for that area in which the subject installation Installation Numbers -- This column is divided into two WAC -- This column provides the World Aeronautical Installation numbers, when used to reference an The first subcolumn lists, when known, the

since installation numbers are repeated from WAC to

installations appear on different WAC charts instance, the NPIC installation number is 15-A, but the 0499-15-A and an NPIC target number 0498-15-A. In each For example, there is an NPIC target number

COMOR TARGET NUMBERS

directly above the photo reference data. head Reconnaissance (COMOR), when available, are listed Target numbers assigned by the Committee on Over-

PHOTO REFERENCE DATA

which the installation appears. The photo reference data indicates the frame(s) on

CONDITIONS AFFECTING PHOTOGRAPHY

darkness); O (obliquity); and PQ (poor image quality) to-heavy clouds); H (haze); CS (cloud shadow); SD (semi-(scattered clouds); HC (heavy clouds); SC-HC (scatteredconditions which affect the appearance of the installation the photography. Following the photo reference data, symbols indicate The symbols are: C (clear); SC

9

SECI